Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME XI.

[Prepared by Saul Epsteen.]

ALGEBRA (see Problems below).
ARITHMETIC (see Problems below).
AVERAGE AND PROBABILITY (see Problems below).
BOOK REVIEWS 22, 148, 178, 215, 242
Murray's *A First Course in Infinitesimal Calculus*, Sewall's *Wireless Telegraphy*, Burkhardt's *Einfuehrung in der Theorie der Analytischen Funktionen einer Komplexen Veraenderlichen*, and Burkhardt's *Algebraische Analysis*, 22.
Grace's *The Algebra of Invariants*, MacMahon's *Elementary Plane Geometry*, Colaw's *School Algebra*, Higgins's *Lessons in Physics*, Bowden's *Elements of the Theory of Numbers*, Wells' *Advanced Course in Algebra*, Miller's *Laboratory Physics*, Montgomery's *An Elementary American History*, Smith's *Primary Arithmetic*, Taylor's *Plane Trigonometry*, Maurer's *Technical Mechanics*, *The Jones Series of Readers*, Sabine's *A Student's Manual of a Laboratory Course in Physical Measurements*, Snyder and Palmer's *One Thousand Problems in Physics*, Davis's *Elementary Physical Geography*, 148—150.
Halsted's *Rational Geometry*, 178.
Campbell's *The Elements of the Differential Calculus*, 198.
Selinwanoff's *Lehrbuch der Differenzenrechnung*, Loewy's *Versicherungsmathematik*, Smith's *Grammar School Algebra*, Granville's *Elements of the Differential and Integral Calculus*, Scribner's *Where Did Life Begin?* Hancock's *Lectures on the Calculus of Variations*, Ames' *Text-book of General Physics*, 215—218.
Robbins and Summerville's *Exercises in Algebra*, Hoadley's *Practical Measurements in Magnetism and Electricity*, Cajori's *An Introduction to the Modern Theory of Equations*, and Chute's *Physical Laboratory Manual*, 242.
CALCULUS (see Problems below).
ERRATA 46, 120, 122, 150, 178, 218, 242
GEOMETRY (see Problems below).

MATHEMATICAL PAPERS.

Baker. A balance for the solution of algebraic equations 224
The expression of the areas of polygons in determinant form 227–228
Dickson, L. E. A property of the group $G_{2^{2n}}$ all of whose operators except identity are of period two 203–206
Emch, Arnold. The theory of optical squares 32–36
Epsteen, Saul. An elementary account of the theory of finite differences 131–136
Glenn, O. E. A method of transvection in the actual coefficients, and an application to evectants 81–84, 108–112
Greenwood, G. W. Representation of real and imaginary loci in the same plane 105–106
Halsted, G. B. Simon's claim for Gauss in non-Euclidean geometry 85–86
Hawkesworth, A. S. Four new theorems relating to conjugate hyperbolas 164–166
Lehmer, D. N. On a cylinder the intersection of which with a sphere will develop into an ellipse 186–187
Miller, G. A. On the generalization and extension of Sylow's theorem 29–32
On the totitives of different orders 129–130
Two infinite systems of groups generated by operators of order four 184–185
The subtraction groups 199–202
Groups of elementary trigonometry 225–226

Putnam, T. M. A proof that four lines in space are in general met by two other lines ---- 86–87
Quackenbush, H. S. A simple construction for finding the diameter of a given material sphere ---- 128
Quinn, John J. A linkage for describing the conic sections by continuous motion ---- 12–13
Roe, E. D., Jr. On complete symmetric functions ---- 156–163, 179–184
Vandiver, H. S. On some special arithmetical congruences ---- 51–56
Stetson, O. S. Triangular residues ---- 106–107
Note on the expansion of devertebrate determinants ---- 166–168
Veblen, Oswald. Polar coördinate proof of trigonometric formulas ---- 6–12
The transcendence of e and π ---- 219–223
Wilson, E. B. Spherical geometry ---- 1–6, 23–28, 47–51, 75–80, 101–105, 123–128, 151–156
Zerr, G. B. M. On the evaluation of certain definite integrals ---- 56–62
The sinking fund of the United States ---- 202–203
MECHANICS (see Problems below).
MISCELLANEOUS (see Problems below).
NOTES ---- 21, 46, 74, 100, 122, 147, 177, 198, 214, 241

PROBLEMS. ALGEBRA.

99. Seven persons at table.
Judson, Safford, Dickson ---- 87, 169

185. Solve $ax^2+bx+c=0$, $ay^2+by+d=0$, $ax^2y^2+bxy+e=0$.
A. H. Holmes ---- 13

187. $x^7+px^5+\frac{2}{7}p^2x^3+\frac{1}{49}p^3x+r=0$.
Dickson, Zerr ---- 14

188. $xy+ab=2ax$, $x^2y^2+a^2b^2=2b^2y^2$.
Schuyler, Anthony, Greenwood, Drake, Barrett, McNeish, Newcomb, Zerr, Scheffer ---- 14

189. $3x+y=xy+x^2$, $\sqrt[3]{y}=\sqrt{(y-\frac{1}{2}x)}$.
Norris, Zerr, Newcomb ---- 36, 63

190. General term of 2, 3, 7, 46, 2112.
Holmes, Zerr, Bareis, Newcomb ---- 20, 63

191. Multiplying by 2, 3, 4, 5, 6 leaves order of digits of number unchanged.
Roray, Dickson ---- 20, 63

192. $\left(3+\frac{1}{6+\text{ etc.}}\right)-\left(2+\frac{1}{4+\text{ etc.}}\right)$.
Matz, Zerr, Newcomb, Scheffer ---- 44, 88, 113

193. $\Sigma\frac{a_i^2}{h_i}\geq\frac{(\Sigma a_i)^2}{\Sigma h_i}$.
Epsteen, Griffin, Dickson, Zerr ---- 44, 73, 113

194. Period of Abelian transformations of type $[b_1, b_2, b_3]$.
Dickson ---- 45, 88

195. $\sum_{r=1}^{r=n}(-1)^r\,{}_nC_r\,2^{n-r}r^2=n^2-2n$, n=integer.
Greenstreet, Greenwood, Zerr ---- 73, 113

196. rth term of $(x-1/x)^n=z^n$ in terms of z.
Newcomb, Greenwood, Posey, Zerr, Bareis ---- 73, 114

197. $(18)^{4(2-x)}=(54\sqrt{2})^{3x-2}$.
Matz, Landis, Greenwood, Sanders, Holmes, Posey, Wells, Hopkins, Higley, Zerr, Sherwood, Bareis, Scheffer, Newcomb ---- 73, 114

198. $2^{x+y}=6^y$, $3^x=3.2^{y+1}$.
Matz, Zerr, Holmes, Posey, Sanders, Greenwood, Hornung, Newcomb, Scheffer, Bareis 99, 137
199. $(x-a_1)\ldots\ldots(x-a_6)=(x+a_1)\ldots\ldots(x+a_6)$.
Epsteen, Posey, Zerr, Greenwood, Newcomb 99, 137
200, Maximum of $(x+2)/(2x^2+3x+6)$ is $\frac{1}{3}$.
Matz, Zerr, Graber, Newcomb, Greenwood 121, 171, 187
201. $x+y+xy=75$, $x^2-y^2=315$.
Leonard, Zerr 121, 171
202. $x^9+9mx^7+27m^2x^5+30m^3x^3+9m^4x+2r=0$.
Zerr, Holmes, Schuyler, Scheffer, Newcomb, Posey 146, 187
203. $x^4+ax^3+(2b/a+a^2/4)x^2+bx+c=0$.
Newcomb, Scheffer, Zerr, Posey, Holmes, Schuyler 146, 188
204. Syzygy of seventh degree among roots of $x^3+qx+r=0$.
Matz, Graber, Schuyler, Scheffer, Posey, Newcomb, Greenwood 146, 189
205. $x^{15}+15mx^{13}+90m^2x^{11}+\ldots\ldots+15m^7x+2r=0$.
Zerr, Holmes, Scheffer 176, 206
206. $x^4+ax^3+bx^2+amx+m^2=0$.
Newcomb, Zerr, Scheffer, Greenwood, Holmes, Sanders 176, 207, 228
207. $x^4+y^4=2x^2y^2$, $x+y=a$.
Paulsen, Rich, Holmes, Zerr, Greenwood, Graber, Scheffer, Newcomb 176, 208, 228
208. $x^4+y^4=14x^2y^2$, $x+y=m$.
Matz, Rich, Corey, Borger, Greenwood, Sherwood, Newcomb, Lawrence, Harwood, Schuyler, Zerr, Scheffer 196, 228
209. $(a^4+b^4+c^4+d^4)>4abcd$.
Matz, Graber, Greenwood, Borger, Sherwood, Newcomb, Schuyler, Meyer, Haun, Laisant, Scheffer, Zerr, Lawrence 196, 229
210. If $x_1+\ldots\ldots+x_5=0$, $x_1^3+\ldots\ldots+x_5^3=0$, sum of odd powers is divisible by sum of fifth powers.
Greenstreet, Greenwood, Schuyler, Zerr, Scheffer 196, 230
211. $p-qx$ and $q-px$ tend to equality as x approaches zero.
Greenwood 213
212. $(x^2+2x+3)/(x^2-2x+3)+(x^2-2x+3)/(x^2+2x+3)=10/3$.
Matz 213
213. $x^5-209x+56=0$.
Matz 213
214. Number of terms in $(x_1+\ldots\ldots+x_n)^n$.
Epsteen 213
215. Three simultaneous equations.
Rich 240
216. $x^6+ax^4+bx^3+\frac{1}{4}a^2x^2+\frac{1}{4}abx+c=0$.
Newcomb 240
217. Condition that $x^5-bx^3+cx^2+dx-e=0$ is product of cube by square.
Matz 240
218. $\sum_{r=0}^{n} \frac{c_r}{r+1}=\frac{2^{n+1}-1}{n+1}$.
Epsteen 240

203. Two parabolas through vertices of triangle touching circumcircles. Converse 14
208. Tangents to confocal parabolae. Greenstreet, Greenwood, Zerr 14
209. Maximum of $\sin\theta \cos\theta \cos 2\theta$. Greenstreet, Droke, Newcomb, Zerr 15
210. Interior bisector of $C=120°$ in triangle ABC. Dickson, Graber, Droke, Wells, Greenwood, Newcomb, Zerr, Scheffer, Sherwood 16
211. Inscribed regular pentagon and decagon. Dickson, Droke, Wells, Greenwood, Newcomb, Zerr, Scheffer, Hopkins 16
212. Relations between certain segments of two coplanar triangles. Finkel, Greenwood, Zerr, Posey 37, 63
213. Vertices of equilateral triangle on three parallel lines. MacNeish, Hopkins, Wells, Greenwood, Holmes, Newcomb, Posey 37, 63
214. Inscribed triangle, sides passing through given points. MacNeish, Greenwood 37
215. Given bisectors of acute angles, construct right triangle. Newell, Dickson 20, 63, 91
216. Given hypotenuse and side of inscribed square, find sides. Quinn, Dickson, Finkel, Elwood, Holmes, Zerr, Newcomb, Hopkins, Scheffer 20, 63
217. Locus of vertex of a cone. Droke, Hoover 20, 64
218. Cut off given area from given triangle. Anthony, Posey, Greenwood, Zerr, Scheffer, Newcomb 20, 66, 92
219. Geometric solution of quadratic equation. Dickson, Landis, Finkel, Holmes, Locke, Zerr, Greenwood 20, 67, 93
219a. Divide quadrilateral into two equivalent parts. MacNeish, Zerr, Greenwood, Newcomb 45, 95, 114
220. Sides of triangle perpendicular to sides of given triangle. Zerr, Greenwood, Posey, Newcomb, Scheffer 45, 96, 137
221. Given hypotenuse and side of inscribed square, find sides. Dickson, Greenwood, Corey, Holmes, Wells, Hopkins, Zerr, Sherwood, Scheffer, Newcomb, Bareis 73, 116
222. Normals at ends of focal chord of parabola. Zerr, Posey, Wells, Scheffer, Newcomb 73, 116, 138
223. Triangle and point in coplanar line. Greenstreet, Greenwood, Landis, Posey, Wells, Zerr 73, 117
224. Common tangent to two circles. Hoover, Scheffer, Posey, Zerr, Holmes, Sanders, Hornung, Sherwood, Bareis, Newcomb 99, 138
225. Determine triangle, given altitudes, medians, etc. Dickson, Sanders, Scheffer, Zerr 99, 139
226. Plane perspective triangles lead to involution range. Greenstreet, Graber 121, 171, 191
227. Construction of parallelogram from five given conditions. Anthony, Graber, Newcomb, Zerr 121, 172
228. Four circles intersecting in collinear points. Glenn, Croyes 121, 173, 230
229. Complex roots of quadratic equation. Posey, Greenwood 146, 191
230. Cut off given area from triangle. Epsteen, Scheffer, Zerr, Greenwood, Schuyler, Holmes 146, 192
231. Man starting from vertex of right isosceles triangle goes to middle point of hypotenuse, etc. Finkel, Zerr, Holmes, Newcomb, Schuyler, Posey, Greenwood 146, 193
232. New definition of conic sections. Veblen, Scheffer, Zerr, Newcomb, Greenwood 146, 194
233. Perpendiculars from circumcircle to sides of triangle. Norris, Greenwood 176, 208
234. Reciprocal of a circle. Graber, Greenwood, Zerr 176, 208
235. Point of ellipse joined to corners of inscribed square. Greenstreet, Greenwood, Scheffer, Zerr 176, 209
236. Sides of triangle through fixed points. Hitt 196, 240

237. Relations of lines in pentagon. Corey, Greenwood ..... 197, 230.
238. Given four conditions to construct trapezoid. Anthony, Meyers, Scheffer, Greenwood, Zerr, Keyes, Schuyler 197, 231
239. Relation of segments of sides of triangle. Greenstreet 213
240. Given isosceles triangle to determine perpendiculars, etc. Burleson 213
241. Conics having double contact with given conic. Epsteen 213
242. Determination of a line in given trapezoid. Baker 213
243. Locus of centers of circles inscribed in right triangle. Matz 240
244. Equilateral triangle about a given triangle. Anthony 240
245. Relations among ordinates to conjugate diameters of ellipse. Greenstreet 240

CALCULUS.

172. $x\frac{dy}{dx}=\frac{y}{y^{-1}-\log x}$.

Matz, Beman, Droke, Graber, Anthony, Greenwood, Zerr, Sanders, Gregg .. 17, 38

173. Maximum ellipse inscribed in quadrant.

Sanders, Gregg, Greenwood, Zerr, Holmes, Newcomb 38, 67

174. $\int_0^\infty \frac{\sinh px}{\sinh qx}\cos rx\,dx,\ p^2<q^2$.

Finkel, Hoover, Zerr 20, 67

175. Volume of $z^2+a^2y^2/x^2=c^2$ between $x=0$, $x=a$.

Graber, Greenwood, Finkel, Landis, Sherwood, Hoover, Zerr, Walker, Scheffer 21, 70

176. $\int_0^\infty e^{-x^2}\cos\frac{b^2}{x^2}dx=\frac{1}{2}\sqrt{(\pi)}e^{-b\sqrt{2}}\cos b\sqrt{2}$.

Finkel, Corey 73, 117

177. Minimum cone circumscribing hemisphere.

Anthony, Holmes, Corey, Wells, Sanders, Greenwood, Landis, Zerr, Sherwood, Scheffer, Newcomb 73, 117

178. $\int_0^{\frac{1}{2}\pi}\frac{d\phi}{1+\sin^2\phi}$.

Epsteen. Zerr, Holmes, Hornung, Kellar, Posey, Sanders, Scheffer, Corey, Greenwood, Sherwood, Higley, Newcomb 99, 140

179. Integrals of $x(1-x)w''+[1-(a+b+1)x]w'-abw=0$ in vicinity of $x=0$, 1; indicating form when $a+b=1$, $1-a-b=$integer.

Finkel, Zerr 121, 173

180. $y''+A\cos^2y.y'+By=0$.

Wenner 147

181. $\int\frac{x^2}{1+x^4}dx$.

Norris, Greenwood, Graber, Zerr, Scheffer, Corey, Walker 176, 210, 232

182. $\int_0^{\frac{1}{2}\pi}d\theta\sqrt{[1+\sin^2\theta(1-4\cos\theta)]}$.

Holmes, Corey, Zerr 177, 210

183. $\int_0^\infty\frac{\sin 2nx\,dx}{(a^2+x^2)\sin x}$.

Greenstreet, Zerr 197, 233

184. If $u=f(x, y)$, $\xi=e^xy$, $y\eta=e^x$, then $\frac{d^2u}{dx^2}-y^2\frac{d^2u}{dy^2}-y\frac{du}{dy}=4\xi\eta\frac{d^2u}{d\xi\,d\eta}$.

Greenstreet, Greenwood, Zerr 197, 233

185. Altitude of cone if maximum inscribed ellipse equals area of base.
Holmes 214

186. $\int_0^\infty y^{-1} \begin{cases} \sin my\, dy \\ \cos my\, dy \end{cases}$.
Epsteen 214

187. Area of an ellipse.
Jackson 241

188. $\int y(y^2+2)/[(y^4+3y^2+3)\sqrt{(y^2+1)}]$.
Epsteen 241

MECHANICS.

161. Four equal uniform smoothly jointed rods, etc. Greenstreet, Zerr 17
162. Velocity of wave in liquid deeper than λ, density δ, surface tension T. Finkel, Zerr, Graber 17
163. A particle on smooth horizontal plane, etc. Greenstreet, Gregg 38
164. P balances W on system of n movable pulleys. Greenstreet, Zerr 70
165. Form of circular tower all parts subject to same stress. Anthony, Greenwood, Corey, Zerr, Hornung 21, 72, 97
166. Gravitating particle placed at given point, etc. Zerr, Corey, Greenwood, Graber, Landis 21, 97
167. Quadrant of anchor ring in equilibrium on horizontal plane. Crawley, Greenwood, Finkel, Corey, Zerr 74, 118, 174
168. Momental resistance in bifilar suspension. Graber, Zerr 99, 140
169. Sudden liberation of one end of suspended chain. Anthony 147
170. Two iron angles moving freely on pivot, etc. Loomis, Zerr 177, 211, 234
171. Electrical capacity of oblate ellipsoid. Zerr, Graber 197, 235

DIOPHANTINE ANALYSIS.

116. $2^n > 2(n+1)(n'+1)\ldots\ldots$, n odd positive integer.
Vandiver 38

118. Least integers whose sum is square and sum of squares a biquadrate.
Walker 39

119. Solutions of $x^{p^n} \equiv x \pmod{p^n}$.
Dickson 39

120. Positive integral solutions of $x^2 - pxz - px - z + p^2 - 3 = 0$.
Dickson, Zerr 45, 120

121. Solutions of $x^2 + y^2 \equiv 1 \bmod p$.
Dickson 121, 175

122. $1+p^3x$ does not factor $(p^4-1)(p^2-1)$, etc.
Dickson 197, 238

AVERAGE AND PROBABILITY.

63. Plane cutting four edges of tetrahedron. Clarke, Zerr 18
146. Two points of ellipse on opposite sides of random line. Walker, Zerr 19
147. Chance of drawing two black out of n balls. Greenstreet, Landis 19
148. n points at random upon a circle. Rorty, Zerr 40
149. Three random points on cone. Walker, Zerr 40
150. Area of circular segments of given length. Matz, Zerr, Heaton 41, 120
151. Tennis chances. Dickson, Zerr 42
152. Volume of square hole through sphere. Walker, Zerr 45, 141

153. Three random circles in a given circle. Sanders 74, 120
154. Five random points in tetrahedron. Walker 122, 237
155. Chances at craps. Wilson 147
156. Area of triangle of given perimeter. Sanders, Corey, Zerr 197, 237
157. Circle inside of given circle. Walker 241

GROUP THEORY.

1. Simple groups of orders 661—1092.
Dickson, Burnside 98, 100
2. Group of $x^4+2ax^2+b=0$.
Burnside, Dickson 100, 142
3. Group of $x^4-ax^3+bx^2-ax+1=0$.
Dickson, Borger 100, 195
4. Group leaving invariant $x_2^2-x_1x_3=0$.
Epsteen 122, 175
5. Subgroup of type $(n_1, \ldots, n_s)$ of abelian group of type $(m_1, \ldots, m_r)$.
Dickson 177
6. Binary substitutions on $\xi_1, \eta_1; \xi_2, \eta_2$; $(\xi_1\xi_2)(\eta_1\eta_2)$, etc.
Dickson 214

MISCELLANEOUS.

73. Temperature in ice cream freezer. Myers, Safford 144
142. Value of acute angle of triangle with commensurable sides. Wells, Anthony, Zerr, Gregg 43
143. In triangle $1-\cos^2 A-\cos^2 B-\cos^2 C-2\cos A\cos B\cos C=0$ Greenwood, Steagall, Brown, Yates, Cadman, Pierrot, Hoover, Sherwood, Corey, Roray, Graber, Holmes, Zerr, Posey, Hornung, Scheffer 21, 72
143A. Existence of a certain function. Moore 45
144. Transferred to Group Theory 1 ..... 21, 98, 99
144A. Spherical polygons formed by n great circles. DeLong 177
145. Identical configuration in n-space. MacNeish 177, 238
146. Solution of trigonometric equations. Matz 214